


**CIMENTO®**



**CIMENTO® WILL**

Product data sheet

## Description

**CIMENTO® WILL** sheets are a product of the **CIMENTO®** designed to allow the coating of pre-existing structures, both flat and curved. The sheets are composed of a cement agglomerate to which a fiberglass net is joined. **CIMENTO® WILL** is an incombustible product.



Top and lateral view of **CIMENTO® WILL**

## Destination of use

**CIMENTO® WILL** sheets are to be considered furnishing elements without any structural function. **CIMENTO® WILL** is the ideal solution for covering walls, ceilings and furnishings. For more information, consult the installation and maintenance manual or contact the **CIMENTO®** sales office ([www.cimento.tech](http://www.cimento.tech)).

## Characteristics of CIMENTO® WILL

**CIMENTO® WILL** sheets are available in different standard sizes or, upon customer request, can be supplied cut to size, according to the project specifications.

dimensions	weight	thickness
3500x1000 mm	17,5 kg	2,5 <sup>+/-0,5</sup> mm
custom	5 kg/mq	2,5 <sup>+/-0,5</sup> mm

## Finishes and available

**CIMENTO® WILL** is available in a wide range of standard colors obtained with the use of natural oxide-based pigments, thanks to which high color stability is achieved.

LISCIO						
	CL01	CL02	CL04	CL05	CL06	CL10

Further colors are available upon request. Contact the **CIMENTO®** sales office.

## Notes

The installation must be carried out by personnel specialized in the laying of coverings, anchoring **CIMENTO® WILL** to the underlying structure with the use of specific adhesives, following the instructions specifically indicated in the respective technical data sheets. More information is available in the installation and maintenance manual.

**CIMENTO® WILL** sheets can be easily worked with generic tools. It is recommended to use blades, discs, abrasives, etc. in suitable

[www.cimento.tech](http://www.cimento.tech)

**SAI Industry srl** - Via J.F. Kennedy, 107/a - 30027 San Donà Di Piave (VE) - ITALY - T: +39 0421 65422 - F: +39 0421 308084 - [info@saiindustry.org](mailto:info@saiindustry.org) C.F e P.IVA IT 04029080274 - R.E.A. VE 359123 - C.C.I.A.A. di Venezia - Iscrizione Registro Imprese VE 04029080274 - C.S. € 10.000,00 i.v.

material (eg diamond blades).

## Cleaning and Maintenance

Do not use chemicals, abrasive cleaners, solvents, and polishing products. The **CIMENTO®** surface is treated with a protective system that prevents the penetration of dirt, be it dry, wet, or greasy, and facilitates cleaning operations.

The characteristic coexistence of smooth and porous parts requires some simple precautions during ordinary cleaning. It is important to prevent dirt and deposits from being moved and accumulating in the porous portions, especially in the case of moist or greasy substances.

For ordinary maintenance the following operations are recommended, to be carried out in the following order:

1. Preliminarily remove all dry deposits with a vacuum cleaner equipped with a soft bristle brush, to remove dust and solid residues from both smooth and porous areas of the surface.
2. Rub the surface with a dry microfibre cloth or moistened with water, then dry, if necessary, with an additional clean and dry microfibre cloth to avoid leaving marks.
3. If the surface comes into contact with staining substances, act on the affected area with a cloth moistened with ammonia solutions or similar products (avoiding degreasers that require abundant rinsing) then dry with a clean, dry cloth. Do not use aggressive acid-based, solvent-based, or abrasive agents.

**Any variations with respect to the sample are not to be considered defects but as a characteristic of the product and its manual processing which can cause variations in tone. Therefore, Sai Industry srl does not assume any responsibility in case of variations; they are not to be considered defects and are not covered by warranty, in particular for products purchased at different times.**

For detailed information on installation, design and maintenance, please refer to the appropriate manuals. Whenever needed contact the **CIMENTO®** sales office.

## Storage

Protect edges and corners from knocks with dedicated protections to avoid possible chipping. Protect **CIMENTO® WILL** from contact with staining substances, blades and sharp or scratching objects that could damage the finish.

Store the sheets on a flat, levelled, and dry surface, ensuring homogeneous support over the entire surface. It is possible to stack packages of the same size.

Do not overlap the packaging with other materials that may damage the packaging or the sheets.

**Certifications**

TECHNICAL FEATURES	REGULATION	EVALUATED PARAMETER	OUTPUT	
Fire Reaction Class	UNI EN ISO 13501-1:2019	Fire Reaction Class	A2 - s1, d0	
Surface resistance to chemical agents resistance	UNI EN 13442:2013	Visual evaluation of surface anomalies after contact:	Water, detergent, red wine, coffee, tea, ammonia	No defect
			Acetone, etanolo, latte	Slight halo or barely visible mark
			Red wine vinegar	Slight sign visible from multiple directions
Surface resistance to cold liquid	UNI EN 12720:2009	Visual evaluation of surface anomalies after contact:	Olive oil, black ink.	visible sign
			Ammonia, citric acid, detergent, distilled water, basic sweat	No evident signs
			Acetic acid, acetone, coffee, ethanol	Slight change visible only in reflected light
		paraffin oil	Slight surface degradation	
		Resistance rate accordingly to Cen/ts16209	C	
Surface resistance to scratching	UNI EN 15186:2012	Resistance rate accordingly to Cen/ts16209	D	
Flexibility	Inside test	Minimum bend radius (concave)	60 mm	
		Minimum bend radius (convex)	100 mm	

## CONTACTS

HEADQUARTER/SHOWROOM  
Via J.F. Kennedy, 107/a - 30027 San  
Donà di Piave - VE - ITALY

### SHOWROOMS

#### IT

Via Borgogna, 7 - 20122  
Milano - ITALY  
showroom@cimento.tech  
Tel. +39 02 82772692

#### CH

Piazza Santa Lucia, 7 - 6900  
Massagno LUGANO-SWITZERLAND

#### UK

The Cube Building | 17-21 Wenlock  
Road - N1 7GT  
LONDON - UNITED KINGDOM

[info@cimento.tech](mailto:info@cimento.tech)



[www.cimento.tech](http://www.cimento.tech)



[www.cimentocollection.com](http://www.cimentocollection.com)

Tutte le informazioni contenute in questa brochure sono soggette a cambiamenti. Tutti i diritti sono riservati. Nessuna parte di questa brochure può essere riprodotta senza il nostro permesso scritto.

All the information on this brochure are subject to changes. All rights reserved. Reproduction in whole or in part of the contents of this brochure is prohibited without our written consent.

JUN 2021

©CIMENTO®



[www.cimento.tech](http://www.cimento.tech)

**SAI Industry srl** - Via J.F. Kennedy, 107/a - 30027 San Donà Di Piave (VE) - ITALY - T: +39 0421 65422 - F: +39 0421 308084 - [info@saiindustry.org](mailto:info@saiindustry.org) C.F e P.IVA IT 04029080274  
- R.E.A. VE 359123 - C.C.I.A.A. di Venezia - Iscrizione Registro Imprese VE 04029080274 - C.S. € 10.000,00 i.v.